

Retail Pricing  
Pricing subject to change without notice.

-

Model	Description
IPBTN	IP Button
IPBTN-IC	IP Button - Informacast Enabled

### IP Speaker/Display Units - Small (Classroom)

Model	Description
IPSWD-FM	IP Speaker with Display (Flush Mount)
IPSWD-FM-RWB	IP Speaker with Display and Flashers (Flush Mount)
IPSWD-SM	IP Speaker with Display (Surface Mount)
IPSWD-SM-RWB	IP Speaker with Display and Flashers (Surface Mount)
IPCSS-RWB	IP Clock with Flashers (Small)
IPMOD-O	The Outdoor IP-Enabling Module (IPMOD-O) uses Power over Ethernet (PoE) to power and enable an outdoor analog horn or speaker as an IP endpoint as part of a mass notification system. This SIP-enabled device can broadcast voice, sound, and music to the horn or speaker, as well as act as a SIP endpoint

### IP Speaker/Display Units - Large Size

Model	Description
IPCSL-RWB	IP Clock with Flashers (Large)
IPCSL-W-RWB	IP Clock with Flashers, White LED Display (Large)

### IP Speaker/Display Units - DoubleSided (Halls)

Model	Description
IPCDS-RWB	Double-Sided Clock with Flashers

### IP Speaker/Display Units - Sign Board

Model	Description
IPSIGNL-RWB	IP Extra Large Signboard with Flashers
IPSIGN-O	Outdoor IP Signboard (Multi-color Display)

### Audio Only - Surface Mount

Model	Description
IPSW-SM	IP Speaker Audio Only (Surface Mount)

### Audio Only - Flush Mount

Model	Description
IPSW-FM Order SKU #IPSW-SFM/AND	IP Speaker Audio Only (Flush Mount)

### Audio Only - Ceiling

Model	Description
IPSCM	IP Ceiling Speaker Audio Only (Square, 2'x2')

Pricing subject to change without notice.

### IP Speaker - Wall Mount Speaker

Model	Description
IPSSM1	IPS SCA-000003-01 Smt Encl for Spkr/Display Bffle IPSWD & IPSWD-F
IPSFM1	Flush Mount Enclosure for IP Speaker w/ Display
IPSFM2	Flush Mount Back enclosure for installation of IPSWS (requires IPSWS)
IPSWD-IC	IP Speaker Surface Mount with display (NO ENCLOSURE included - see bundles IPSWDSM-IC or IPSWDFM-IC for enclosure bundles)
IPSWD-RWB-IC	IP Speaker Surface Mount with display and Red/White/Blue Flashers (NO ENCLOSURE included - see bundles IPSWDSMRWBIC or IPSWDFMRWBIC for enclosure bundles)

### Audio Only - Ceiling

Model	Description
IPSCM-RM	IP Ceiling Speaker Pair Audio Only (Round, 10-5/8")

### Audio Only - Horn - IP54 Rated

Model	Description
IPSW-SM-O	IP Outdoor Paging Horn (Surface Mount)

### Zone Controllers - Zone Controllers

Model	Description
ZONEC-2	Zone Controller
ZONE-LO	Basic Zone Controller

### Standalone Strobes - Standalone Strobes

Model	Description
IP STROBE	IP Strobe End Point

### Accessories - Connectivity

Model	Description
AND-BTN-KIT-1	Call Button with Vandal-proof button with Daughter card/ no wire

-

Model	Description
AND-PIA-2	Peripheral Daughter board for AND Devies to allow Poke Home connections to GPIO and AUX Audio, as well as provide connections for auxiliary strobes.

### Accessories - Connectivity

Model	Description
AND-STROBE-KIT-1	IP Strobe with Daughter card

### Accessories - Ceiling Hardware

Model	Description
IPSCM-RM-BB	Back Box for IPSCM-RM (Single)
IPSCM-RM-BB12\Model Name #IPSCM-RM-BB	Back Box for IPSCM-RM (Pack of 12)

Starin is your Supply Partner. To place you order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)

Pricing subject to change without notice.

Model	Description
IPSCM-RM-CB	Drop Ceiling Brackets for IPSCM-RM (Single)
IPSCM-RM-CB12\Model Name #IPSCM-RM-CB	Drop Ceiling Brackets for IPSCM-RM (Pack of 12)
IPSCM-RM-DB	Dry-wall Ceiling Brackets for IPSCM-RM (Sold individually)
IPSCM-RM-DB12\Model Name #IPSCM-RM-DB	Dry-wall Ceiling Brackets for IPSCM-RM (Pack of 12)

### Accessories - Appearance

Model	Description
AND-FRAME-IPCSS	Wood Frame for IPCSS-RWB

### Informacast Ready - Small (Classroom)

Model	Description
IPSWD-FM-IC	IP Speaker with Display (Flush Mount, Singlewire)
IPSWD-FM-RWB-IC	IP Speaker with Display and Flashers (Flush Mount, Singlewire)
IPSWD-SM-IC	IP Speaker with Display (Surface Mount, Singlewire)
IPSWD-SM-RWB-IC	IP Speaker with Display and Flashers (Surface Mount, Singlewire)
IPCSS-RWB-IC	IP Clock with Flashers (Small, Singlewire)

### Informacast Ready - Large Size

Model	Description
IPCSL-RWB-IC	IP Clock with Flashers (Large, Singlewire)
IPCSL-W-RWB-IC	IP Clock with Flashers, White LED Display (Large, Singlewire)

### Informacast Ready - DoubleSided (Halls)

Model	Description
IPCDS-RWB-IC	Double-Sided Clock with Flashers (Singlewire)

### Informacast Ready - Sign Board

Model	Description
IPSIGNL-RWB-IC	IP Extra Large Signboard with Flashers (Singlewire)
IPSIGN-O-IC	Outdoor IP Signboard (Multi-color Display, Singlewire)

### Informacast Ready - Surface Mount

Model	Description
IPSW-SM-IC	IP Speaker Audio Only (Surface Mount, Singlewire)

### Informacast Ready - Flush Mount

Model	Description
IPSW-FM-IC Order SKU #IPSWFMIC/AND	IP Speaker Audio Only (Flush Mount, Singlewire) • Features 2-way Audio • PoE and SIP Enabled • Includes Flush Mount Enclosure • For use with Singlewire Informacast Software

### Informacast Ready - Ceiling

Pricing subject to change without notice.

Model	Description
IPSCM-IC	IP Ceiling Speaker Audio Only (Square, 2'x2', Singlewire)
IPSCM-RM-IC	IP Ceiling Speaker Pair Audio Only (Round, 10-5/8", Singlewire)

### Informacast Ready - Horn - IP54 Rated

Model	Description
IPSW-SM-O-IC	IP Outdoor Paging Horn (Surface Mount, Singlewire)

### Informacast Ready - Zone Controllers

Model	Description
ZONEC-2-IC	Zone Controller (Singlewire)
ZONE-LO-IC\Model Name #ZONE-LO	Basic Zone Controller (Singlewire Informacast)
ZONE-SIC	Zone System Interface Controller - Provides access control or status indicators for sensors, such as motion detectors, door lock/unlock, etc.
ZONE-SIC-IC	Zone System Interface Controller - Informacast Enabled

### Informacast Ready - Standalone Strobes

Model	Description
IP STROBE-IC\Model Name #IP STROBE	The AND IP Strobe (For Singlewire Informacast) can be utilized as an additional mode of emergency notification or alert messaging. The IP Strobe is SIP enabled and can be controlled through software or a SIP phone system. This strobe is a Power over Ethernet (PoE, PoE+) device that requires only an RJ-45 cable to connect to existing data networks. (Model Print: IP STROBE-IC)